



ZTP Thermal & Power

Outdoor optical amplifier 1550





Outdoor optical amplifier 1550

Semiconductor Optical Amplifier, 1550nm, Rackmount -

The Optilab SOA is a semiconductor optical amplifier with high fiber-to-fiber gain, designed to be used in general applications to increase optical launch power to

[Read More](#)

1550nm CATV Waterproof Outdoor EDFA Optical

1550nm CATV Waterproof Outdoor EDFA Optical Amplifier (WE-1550-YZ-YW) 1. WE1550nm Erbium-Doped Fiber Amplifier is the important

[Read More](#)



1550 nm Nanosecond Pulsed Laser, MOPA, 37 dBm,

The Optilab NPL-1550-37-R is a nanosecond pulsed, high power optical light source ideal for LIDAR system development and applications. Housed in a fully

[Read More](#)

SE1550-23 Outdoor

High power MultiPath EDFA MultiPath EDFA is high-power (up to 5000mW or +37dBm) multi-ports optical amplifier series with integrated precise optical coupler.

[Read More](#)

1550nm High Power EDFA Optical Amplifier

Backed by over 20 years of engineering and manufacturing experience each amplifier is strictly qualified and adhered to rigorous standards to guarantee you a maintenance-free and optimal performance

[Read More](#)



Ws-Ea1500 CATV 1550nm Optical Amplifier (EDFA)

We devote ourselves to being the optical transmission bridge of intelligent and healthy, and being a respected professional company, and providing a Better User Experience for more

[Read More](#)

1550nm Outdoor Optical Amplifiers

Find reliable 1550nm outdoor optical amplifiers for cable TV and fiber optic networks. High performance and low power consumption. Shop our durable, efficient solutions.

[Read More](#)

WE-1550-HT2Outdoor1550nmOpticalAmplifier



1. Product Overview The WE-1550-HT2 optical amplifier uses high-performance Er-Yb co-doped double-clad fiber and low noise pump laser. With reliable circuit design and efficient heat

[Read More](#)

BOA1550S

The BOA1550S from Thorlabs Inc is a Optical Amplifier with Noise Figure 8.5 to 9.5 dB, Saturated Output Power 17 to 18 dBm, Saturated Output Power 17 to 18 dBm, Gain 24 to 27 dB, Operating

[Read More](#)

ThorLabs BOA1550P C-Band Booster Optical Amplifier, CWL = 1550

The ThorLabs BOA1550P is a C-Band Booster Optical Amplifier designed for amplifying optical signals in the 1530 nm to 1565 nm wavelength range. It features a typical center wavelength (CWL) of 1550

[Read More](#)



1550nm Semiconductor Optical Amplifier

It is designed for transmitter applications to increase optical launch power to compensate for the loss of other optical devices. The benchtop version incorporates a user-friendly front panel housing a LCD

[Read More](#)

MAKO-AMP1550

The MAKO-AMP1550 from Cybel is a Optical Amplifier with Output Power 1 W, Output Power 1 W, Wavelength Range 1535 to 1565 nm, Operating Temperature

[Read More](#)

1550nm Semiconductor Optical Amplifier for Optical Communication,



Designed for operation at 1550 nm, this SOA is well suited for applications in fiber optic communication, optical sensing, free-space optical links, and advanced optical instrumentation.

[Read More](#)

16 dBm EDFA Optical Amplifier

F-EDFA-16 Erbium Doped Fiber Amplifier +16 dBm Output F-EDFA series are general purpose optical amplifiers for channels within the DWDM spectrum bands

[Read More](#)

Prisma 1550 nm Strand Mounted Optical Amplifier

Description Designed for "Fiber Deeper" architectures, the Prisma 1550 nm Strand Mounted Optical Amplifier (SMOA) is a high-powered EDFA (erbium doped fiber amplifier) that extends the reach and

[Read More](#)



WE-1550-HT2 Outdoor 1550nm Optical Amplifier

be applied in harsh outdoor environment. The equipment can be equipped with optical switch, CWDM or RF detection to be suitable for transmission of CATV RF signal and IP signal in FTT

[Read More](#)

Erbium-Doped Fiber Amplifier /edfa 1550nm optical amplifier (Outdoor)

Feature highlights: Outdoor Erbium-Doped Fiber Amplifier (EDFA) with 13-26dBm output optical power, featuring JDSU, Fitel, and Bookham pump lasers, OFS Erbium-Doped fiber, double cooling system,

[Read More](#)

MAKO-1550+



The CYBEL MAKO-1550+ is a compact 1550 nm eye safe pulsed fiber laser that can deliver 10 kW pulses with an average output power as high as 1.5 W. The laser output has a near gaussian profile (

[Read More](#)

EDFA -- Taikan

The amplifiers are designed with a low noise figure and high-saturated output power. The OA-1550 Optical Amplifiers utilize a top-class pump laser and OFS Erbium

[Read More](#)

CATV Optical Amplifier 1550nm 4 Outputs High Power

CATV Optical Amplifier 1550nm 4 Outputs High Power EDFA (WE-1550-YZ) Performance Characteristics 1. Imported famous low-noise pump laser, which is

[Read More](#)



Prisma 1550 nm Strand Mounted Optical Amplifier

Designed for "Fiber Deeper" architectures, the Prisma 1550 nm Strand Mounted Optical Amplifier (SMOA) is a high-powered EDFA (erbium doped fiber amplifier) that extends the reach and

[Read More](#)

Alibaba : SOFTEL 1550 EDFA Fiber Optical Amplifier, 16 Ports

Product overview The SOFTEL WDM EDFA Fiber Optical Amplifier 1550nm with 16 Ports is an advanced solution designed for outdoor applications such as HFC and FTTH networks. This robust

[Read More](#)

A-EDFA-1550-4-14

4 output ports Low noise figure Large optical input power range Works under outdoor



and bad environmental conditions, due to the aluminum waterproof housing Optical status indication with

[Read More](#)

Fiber Optical Amplifier >>> PPA-1550F Erbium-Doped Fiber Optical

ier >>> PPA-1550F Erbium-Doped Fiber Optical Amplifier (Outdoor) Product overview
PPA-1550F series 1550nm Erbium Doped Fiber Amplifier (out-door) is for filed application, it adopts 980nm or 1480nm

[Read More](#)

MAKO-AMP-BT 1550

The MAKO-AMP-BT1550 from Cybel is a Optical Amplifier with Output Power 1 W, Output Power 1 W, Wavelength Range 1535 to 1565 nm, Operating Temperature

[Read More](#)



Contact Us

For datasheets, pricing, or custom data center infrastructure solutions, please visit:
<https://www.zeldaterblanchephotography.co.za>