

Single-mode APC ceramic ferrule





Single-mode APC ceramic ferrule

EXCEL

The SC range covers Multimode and Singlemode options which includes all colours - Beige, Aqua, Violet, Blue and Green options for all Multimode and Singlemode & APC fibre types. All connectors

[Read More](#)

OptiSnap(TM) Connector, SC Single-mode (OS2) APC

The factory-polished ceramic ferrule provides superior quality for end-face geometry. The single-mode OptiSnap(TM) Connector is available in an ultra physical contact (UPC) polish or an angled physical

[Read More](#)



Fiber Connector Types: LC vs SC vs ST vs FC -- Which to Choose?

The LC connector (Lucent Connector) is a compact fiber-optic connector developed for modern telecom and data networks. Its defining characteristic is a 1.25 mm ceramic ferrule--half the diameter of

[Read More](#)

Fluke Networks FiberLert Live Fiber Detector, 850 to 1625 nm

Verify fiber activity, polarity, and connectivity with this fiber detector that detects the presence of near-infrared light with a range of 850 to 1625 nm. Pocket-sized and non-contact, this detector tests single

[Read More](#)

DIGITUS LC/APC Fiber Optic Connector

Low attenuation: the LC/APC ceramic ferrule (2.50 mm) ensures reliable optical



transmission on single-mode fibres - suitable for all standard SM fibre types Easy installation: the durable index matching

[Read More](#)

Fiber Connector Types: LC vs SC vs ST vs FC -- Which to Choose?

The LC connector (Lucent jungtis) is a compact fiber-optic connector developed for modern telecom and data networks. Its defining characteristic is a 1.25 mm ceramic ferrule--half the diameter of

[Read More](#)

Fiber Connector Types: LC vs SC vs ST vs FC -- Which to Choose?

The LC connector (Lucent konektor) is a compact fiber-optic connector developed for modern telecom and data networks. Its defining characteristic is a 1.25 mm ceramic ferrule--half the diameter of

[Read More](#)



10ft (3m) Fiber Patch Cable Single-Mode, Single-core, SC/UPC to SC/APC

?High-Quality Ceramic Ferrule?Premium ceramic ferrules for SC/UPC to SC/APC optical cord, ensuring stable data exchange, high plug-in durability and long-term reliable fiber network performance

[Read More](#)

Ferrule , PRODUCTS , SEIKOH GIKEN

Ferrule for Fiber Optic Connectors oHigh-quality and high-performance zirconia ceramic ferrules are offered through consistent production extending from

[Read More](#)

High Speed Fast Connector-OEM Fiber Solutions



Ceramic ferrules are carefully ground, and the connector bodies are made from flame-retardant material. Single-mode OS2 or multimode OM3/OM4 fibers are

[Read More](#)

OptiSnap® SC Connector, single-mode, APC, ceramic ferrule, single

The factory-polished ceramic ferrule provides superior quality for end-face geometry. The singlemode OptiSnap(TM) Connector is available in an ultra physical contact (UPC) polish or an angled physical

[Read More](#)

SC to SC UPC APC LC to LC SX DX Flange Multimode Simplex

HighReturnLoss \geq 50dbWavelength:SMSingle-mode1310nm&1550nmWavelength:
SM Single-mode 1310nm& 1550nm Core type: Ceramic Ferrule Core type: Ceramic
Ferrule Durability: Insertion and

[Read More](#)



What is Fiber Pigtail? A Complete Guide for Beginners

It is the most commonly polished type for single mode and multimode pigtails. APC Fiber Pigtail APC stands for "Angled physical contact". It is

[Read More](#)

SENKO FC/APC Connector, SM, 125µm Conical Ferrule, 900µm Boot

Designed for high-performance single-mode applications, it offers exceptionally low insertion loss, with a typical value of 0.05 dB against the master. A four-direction tuning ferrule enhances random mating

[Read More](#)

Fiber Connector Types: LC vs SC vs ST vs FC -- Which to Choose?



Typical return loss: Single-mode UPC ≥ 50 db; APC ≥ 60 db; multimode ? ≥ 30 db.
Coupling/mechanical: Screw-on (threaded) coupling, keyed to prevent rotation; spring-loaded ferrule.

[Read More](#)

LC/APC Single Mode Ferrule - Fronova

LC/APC Single Mode Ferrule Our ferrules feature precision-machined flanges that are press-fit to ensure a strong, durable point of contact when securing them

[Read More](#)

1.25mm OD Multi-mode Ceramic Ferrule for LC Fiber Connector 1.0um

Fiber-MART provide 1.25mm OD Multi-mode Ceramic Ferrule for LC Fiber Connector 1.0um with good price & quality! 100% Tested and Free Shipping! Contact Now!

[Read More](#)



Singlemode Ferrule , Orbray Co., Ltd.

Although the zirconia ferrules appear to be just a simple ceramic cylinder, the outer diameter (OD) of the ferrules is grinded and polished at a controlled submicron level.

[Read More](#)

1 x Fibre Optic Adapter LC/APC Female to SC/APC Male, Singlemode

This fiber optic adapter is used for interface conversion between a LC/APC female connector and a SC/APC connector. It is designed for single-mode cables in simplex design and

[Read More](#)

Fibre Optic Adapter Sc/Apc Male to Lc/Apc Female, Singlemode



?High-quality ceramic ferrule for durability?: The A-class ceramic ferrule made of zirconia ensures excellent alignment of the fibreglass and increases the life of the adapter during frequent

[Read More](#)

Fiber Connector Types: LC vs SC vs ST vs FC -- Which to Choose?

What is an LC Connector? The LC connector (Lucent-Lucent) is a compact fiber-optic connector developed for modern telecom and data networks. Its defining characteristic is a 1.25 mm ceramic

[Read More](#)

Thorlabs · New Products

234,39 EUR 30126J2 SC/APC Single Mode Connector, 126 µm Bore, Ceramic Ferrule, Ø3.0 mm & Ø900 µm Boots Released: April 17, 2026 Optomechanics SC/APC Fiber Connector: Single

[Read More](#)



Corning 95-200-94 UniCam LC/APC Connector, Single

The Corning 95-200-94 UniCam® High-Performance Connector is a ceramic ferrule single mode LC/APC connector OS2 designed for quick and easy termination.

[Read More](#)

Ceramic Ferrule, LC, SC, FC, MU, ST / Fiberwe Technologies Co., Ltd.

The ferrule's ID is polished to a diameter of 0.001mm or larger than the OD of the optical fiber. Moreover, this ID has a precision of 0.001mm in concentricity and 0.0005mm in eccentricity for the singlemode

[Read More](#)

TH-M125L01



TH-M125L01 - Ø400 µm Core, 0.50 NA SMA905 to Ø1.25 mm Ferrule Patch Cable, 1 m Long Product Drawing Optogenetics Patch Cables with Ø1.25 mm Ferrule on One End Input Connector SMA905

[Read More](#)

SC Connector , IEC-Compliant, High-Precision Fiber

Built on a ceramic sleeve with a titanium ferrule insert and patented Active Core Alignment (ACA) technology, these connectors ensure ultra-precise core

[Read More](#)

Single Mode Fiber Optic Connectors

Thorlabs stocks an extensive selection of single mode fiber optic connectors, available for immediate shipping. Choose from FC/PC, FC/APC, ST/PC, LC/PC, E-2000/PC, SC/PC, or SC/APC style

[Read More](#)



Contact Us

For datasheets, pricing, or custom data center infrastructure solutions, please visit:
<https://www.zeldaterblanchephotography.co.za>